



Swedish Ordnance



LINKER and DELINKER systems

www.swedishordnance.com
Stockholm, Sweden
info@swedishordnance.com

Table of Contents

1. LINKER

- M27	1-2
- M13	3-4
- DM1	5-6
- M9	7-8
- PKM	9-10
- NSV	11-12

2. DELINKER

- M27	13-14
- M13	15-16
- DM1	17-18

3. Benefits 19

4. Contact 20

LINKER M27 (5.56x45)



Reuse your links and reload M27 linkbelt fast and easy. The linker comes with one link magazines which fits 20 links each and one hopper which fits 50 rds. Reloading linkbelts have never been easier.

Technical Specification

Item no: LM27-000
Depth: 40 cm
Width: 34 cm. inc crank
Height: 42 cm. inc hopper
Weight: 7,3 kg
Material: Steel and plastic
Color: Black

Accessories:

Singel row hopper

Item no: LM27-001

Link magazine

Item no: LM27-004

The product has design protection



Link machine with a single row hopper for 20 rds allows you to link various types of ammunition in a specific order.

Original hopper fills one linkbelt with 50 rds with only two turns of the crank.



Open the lid to change the hopper. Link magazines can be filled separately or directly into the machine.



LINKER M13 (7.62x51)



Reuse your links and reload M13 linkbelt fast and easy. The linker comes with one link magazines which fits 20 links each and one hopper which fits 50 rds. Reloading linkbelts have never been easier.

Technical Specification

Item no: LM13-000
Depth: 45 cm
Width: 38 cm. inc crank
Height: 47 cm. inc hopper
Weight: 9,5 kg
Material: Steel and plastic
Color: Black

Accessories:

Singel row hopper

Item no: LM13-001

Link magazine

Item no: LM13-004

The product has design protection



Link machine with a single row hopper for 20 rds allows you to link various types of ammunition in a specific order.

Original hopper fills one linkbelt with 50 rds with only two turns of the crank.



Open the lid to change the hopper. Link magazines can be filled separately or directly into the machine.

LINKER linkbelt DM1 (7.62x51)



Link your DM1 linkbelt fast and easy. The linker comes with one hopper which fits 50 rds. Reloading linkbelts have never been easier.

Technical Specification

Item no: LDM1-000
Depth: 45 cm
Width: 38 cm. inc crank
Height: 47 cm. inc hopper
Weight: 9,3 kg
Material: Steel and plastic
Color: Black

Accessories:

Singel row hopper
Item no: LDM1-001

The product has design protection



Link machine with a single row hopper for 20 rds allows you to link various types of ammunition in a specific order.

Original hopper fills one link belt with 50 rds with only two turns of the crank.

Open the lid to change the hopper.

LINKER M9 (12.7x99)



Reuse your links and reload M9 link belts fast and easy. The linker comes with one link magazines which fits 15 links each and one hopper which fits 25 rds. Reloading link belts have never been easier.

Technical Specification

Item no: LM9-000
Depth: 46 cm
Width: 54 cm. inc crank
Height: 57 cm. inc hopper
Weight: 18 kg
Material: Steel and plastic
Color: Black

Accessories:

Singel row hopper

Item no: LM9-001

Link magazine

Item no: LM9-004

The product has design protection



Link machine with a single row hopper for 15 rds allows you to link various types of ammunition in a specific order.



Original hopper fills one linkebelt with 25 rds with only two turns of the crank.

Open the lid to change the hopper. Link magazines can be filled separately or directly into the machine.



LINKER PKM (7.62x54R)



Reuse your linkbelts fast and easy. The linker comes with one hopper which fits 20 rds. Reloading link belts have never been easier.

Technical Specification

Item no: LPKM-000
Depth: 45 cm
Width: 41 cm. inc crank
Height: 42 cm. inc hopper
Weight: 9,8 kg
Material: Steel and plastic
Color: Black

Accessories:

Hopper

Item no: LPKM-001

The product has design protection



Link machine with a single row hopper for 20 rds allows you to link various types of ammunition in a specific order.

One turn on the crank links 20 rounds.

Link magazines can be filled separately or directly into the machine.



LINKER NSV (12.7x108)



Reuse your linkbelts fast and easy. The linker comes with one hopper which fits 20 rds. Reloading link belts have never been easier.

Technical Specification

Item no: LNSV-000
Depth: 45 cm
Width: 57 cm. inc crank
Height: 55 cm. inc hopper
Weight: 17 kg
Material: Steel and plastic
Color: Black

Accessories:

Single row hopper

Item no: LNSV-001

The product has design protection



Link machine with a single row hopper for 15 rds allows you to link various types of ammunition in a specific order.

One turn of the crank fills 18 rounds.

Open the lid to change the hopper.



DELINKER M27 (5.56x45)



Delink your linkbelt fast and easy. Delinking link belts have never been easier.

Technical Specification

Item no: DM27-000
Depth: 40 cm
Width: 34 cm. inc crank
Height: 32 cm.
Weight: 7,0 kg
Material: Steel and plastic
Color: Black

The product has design protection



Delink ammobelt to be used in magazines or be returned to ammo deposit.

One turn of the crank delink 24 rds.

The machine separates links and ammo.

DELINKER M13 (7.62x51)



Delink your linkbelt fast and easy. Delinking link belts have never been easier.

Technical Specification

Item no: DM13-000
Depth: 45 cm
Width: 38 cm. inc crank
Height: 36 cm.
Weight: 9,0 kg
Material: Steel and plastic
Color: Black

The product has design protection



Delink ammobelt to be used in magazines or be returned to ammo deposit.

One turn of the crank delink 24 rds.

The machine separates links and ammo.

DELINKER linkbelt DM1 (7.62x51)



Delink your linkbelt fast and easy. Delinking link belts have never been easier.

Technical Specification

Item no: DDM1-000
Depth: 45 cm
Width: 38 cm. inc crank
Height: 36 cm.
Weight: 9,0 kg
Material: Steel and plastic
Color: Black

The product has design protection



Delink ammobelt to be used in magazines or be returned to ammo deposit.

One turn of the crank delink 21 rds.

The machine separates links and ammo.

Benefits

- Save ammocost by relinking your used links.
- Cuts your ammunition expense.
- The system saves time and makes it much easier to reload used ammobelts.
- Delink and reload your ammobelt in new order, tracer, dim tracer, etc.
- Delink ammobelt for use in magazines.
- Delink at ammo depot, half or partially used linkbelt.
- More time for shooting exercises.

Contact

Box 2001
SE-141 02 Huddinge
Stockholm, Sweden

info@swedishordnance.com

www.swedishordnance.com